

# Blockchain Foundations

DRAFT

*Dionysis Zindros*

Athens

June 2021

# Chapter 1

## A Big, Bad World

### 1.1 The Nature of Money

Before money, there was debt [2]. Money is a yardstick for measuring it. Sometimes it takes the form of a gold coin. Not useful in itself, one accepts it because one assumes other people will. Modern *fiat* money is not backed by gold, but takes the form of pieces of paper bills or, more often, bits in the computer systems of banks. Regardless of their manifestation, all forms of money are debt, which is a social relation [3].

Money has a long history. A tale told about its origins is of a world of *barter* in which people would visit markets to exchange ten chickens for an ox; money, it is said, was invented to ease the burden of figuring out exchange rates. This is a myth. No such barter societies have ever existed prior to the invention of money. Instead, historically, societies used to be gift economies, in which people were mostly self-reliant on their broader families, and they gifted goods to each other regularly within their villages. These relationships are based on *trust*. The reliance on some form of trust on society will be a *motif* which will reemerge as we try to redesign money in the form of a blockchain.

The idea that one can transact with a stranger without trusting her is an idea that came about with the invention of money. Money came about as a means of tracking debt accumulated through violence such as wars and slavery. Historical forms of money had a physical manifestation: sea shells or salt. The word *salary* we use today hints at this history. Gold and silver were later adopted. Modern money, such as USD, used to have *backing* in gold, so that one could exchange their USD money for gold. The gold standard for USD was abolished in 1971. After this, money issued is known as *fiat*, because it is by social agreement that we give it value. Money is a collective delusion: If, one day, we all stopped believing in money, it would instantly be worthless. The same is true for gold, sea shells, and salt. Money is a *social construct*.

Money functions as a *medium of exchange*, as a *common measure of value* or *unit of account*, as a *standard of value* or *standard of deferred payment*, and a *store of value* [4]. These functions of money rely on the relationship of the individual with the economic community that accepts money. Each monetary transaction between two parties is never a “private matter” between them, because it translates to a claim upon society [7].

This gives rise to the need of *consensus*. The economic community must be able to ascertain, in principle, whether a monetary transaction is *valid* according to its rules. In a good monetary system, parties of the economic community must globally agree on the conclusions of such deductions. In simple words, when someone pays me, I must know that they have sufficient money to do so, and that this money given to me will be accepted by the economic community when I later decide to spend it. This judgement of validity consists of two parts: First, that the money in use has been minted legitimately in the first place, the property of *scarcity*. Scarcity is a necessary, but not sufficient, property of money. Secondly, that this money rightfully belongs to the party who is about to spend it, and has not been spent before, to protect against *double spending*, the property of *ownership*. Consensus pertains to ensuring both scarcity and ownership.

The problem of consensus is solved differently in different monetary systems. Gold coins had stamps whose veracity could be checked, while paper bills have watermarking features making them difficult to duplicate. Such physical features ensure the legitimacy of minting. The problem of double spending is trivial when it comes to physical matter: If I give a gold coin to someone, I no longer hold that gold coin and cannot also give it to someone else. When coins are digitized, the problem of *who owns what* is solved by the private bank and payment processors. A private bank centrally maintains the balance of a bank account to ensure a corresponding debit card cannot spend more money than it has. In this case, a vendor's terminal connects to the bank's servers to check the validity of the payment (and security can only be ensured while the terminal is online). These cases involve a *trusted third party*, the bank or the payment processor, to maintain a balance and make a judgement on whether a transaction is valid. The central bank is relied upon for the legitimacy of minting. Payment processors and banks who maintain account balances and make a judgement on whether a transaction is valid are relied upon to prevent double spending. The economic community depends on these third parties and trusts them for availability and truthfulness.

The cypherpunk political movement and the wave of cryptographers working on *protocols* in general have an inherent hatred for trusted third parties. For the former, they amount to centralization of political power which they wish to see eliminated. For the latter, it constitutes a technical challenge – if the role of the trusted third party is fully algorithmizable, why not replace the party by a protocol ran by the economic community themselves? It is somewhere in the intersection of the two that *blockchain* protocols appeared.

A private bank can conjure up more money in someone else's account, or remove money from yours, and one's only recourse against such actions, which can be damaging to the economy, is legal. We rely on the functions of government, a trusted third party, to prevent such actions. If a bank illegally takes away money from one's bank account, they can sue the bank. This is a *treatment* of adversarial behavior. In the systems we will design, our goal will be to create systems that *prevent* adversarial behavior by making it impossible, not by detecting it and *treating* it when it emerges. These systems will be *self-enforceable*. Prevention is preferable to treatment.

The question we try to answer is whether we can *decentralize* money by removing some of these institutions of trust. We can remove private banks and people can *be their own bank*; and we can remove the central bank, and money issuance can be in the hands of the people. However, some trust in society will necessarily remain,

as money is a social construct. Governments are elected by the people and, in that sense, express the will of the people. It is a political question whether we *want* to remove central parties from the picture. Removing the central bank removes an important macroeconomic tool from the hands of government, which may have long lasting and disastrous recession effects. Removing the private bank from the picture makes each and everyone responsible for their own money: In case your house in which your computer is stored burns down, you lose your money, contrary to the case of a bank, where all your documents can be recovered through some form of legal process. We will provide the *means* to eliminate centralization, but it is not always clear that we *should*. Once we describe the system to do so, we can choose *which* centralization parts we want to eliminate. For example, we can create a system where private banks are unnecessary, but money issuance is still centralized.

Because money is a social construct and it is conjured by social delusion, it does not need legal backing to have value. We can rebuild money in the form of code, as long as we can recreate the virtues of scarcity and ownership, and we convince society to adopt it as currency. This is what gives rise to *cryptocurrencies*. Similarly, because private contracts between individuals are also a social construct, we can also recreate these in the form of code. This is what gives rise to *smart contracts*.

Money and its functions, as well as contracts and their function, have been traditionally codified in the form of law. As computer scientists, our role when implementing cryptocurrencies and smart contracts will be to identify the *computational* properties of money and contracts. What *computational* role does each of the virtues of money play in ensuring its correctness and security? Which of these can be modified? What are the computational aspects of rules, regulations, and processes? When money and contracts are implemented in code, and analyzed in the theoretical framework of computer science, these will become precise and explicit rather than implicit.

## 1.2 The Adversary

Our systems will be designed in the presence of an *adversary*. This adversary will have various nefarious goals and may try to act against the rest of the parties. We will highlight the parties whose interests we want to defend and designate them as *the honest parties*. The honest parties follow the protocol as described by us, the protocol designers. A party that does not exactly follow the protocol is considered adversarial. We will only provide assurances to the honest parties when we embark on our security proofs. This follows the path of cryptography: If you want security assurances, you must play honestly.

We consider only *one* adversary, not multiple. That single adversary can *spawn* nodes that are acting on her behalf. The treatment in which the adversary is considered to be a single party with an overarching goal in mind gives the adversary more power. She is a more powerful adversary than an adversary who is fighting against another. We will design our protocols to be secure against this single, overarching adversary.

We will design our systems to be resilient against very powerful adversaries, such as state actors. Our adversary can really be truly malicious. She can break laws. She might be *irrational* and decide to lose money, just so that we can suffer,

even if there is no monetary gain for her. She can control corporations. She can control governments, including the legislative, executive, and judicial branches of the government. This means she can change the laws and outlaw our protocol. She can take over a country's or multiple countries' courts, issue subpoenas, or kill people to achieve her goals, and do this all in secret. We will not rely on these centralized institutions for our security, but will try to design protocols that are resilient in these settings. In light of this model, it becomes clear that there is very little we can rely on. For example, we cannot rely on someone proving their identity by presenting their government-issued passport, as an adversary controlling the government can issue an arbitrary number of fake passports.

Ideally, we want our protocols to survive and remain operational as long as a country's Internet infrastructure is operational, and people are allowed just a modicum of private life. Compare this to centralized services, such as Google's search, or Amazon's market. These services really cannot hope to survive an adversarial government. A subpoena issued by a court can order them to shut down, and they must comply. On the contrary, our decentralized protocols will not be subject to court decisions. In that sense, our protocols are *sovereign* — they enjoy the same level of independence as a stand-alone country. For a court to shut down a decentralized protocol, it cannot order its servers to shut down, because there are no servers. Instead, it must target each of its participants, a much more difficult task.

Following the cryptographic tradition, and highlighting our computer science methodology, our protocols are structured upon three pillars [5]:

1. **Formal definitions** play a central role. They specify the desirable properties of our protocols. As we will see, these can often be quite tricky to develop. One such example is what it means for a ledger to have *safety*, a topic we will return to when we speak about ledgers.
2. **Clearly articulated assumptions** allow us to understand the limitations of our protocols. Our protocols never work unconditionally, and we must restrict our model to obtain security. One such example is the *honest majority assumption*, a topic we will return to when we speak about proof-of-work.
3. **Rigorous proofs of security** give us the *guarantee* that our protocols are secure, as long as our assumptions hold. Instead of employing *ad hoc* arguments, the proofs are mathematical theorems employing computational reductions, and they assert that the protocols are secure *for all* adversaries.

We will model the adversary as a Turing Machine interacting with the honest parties, each of which will also be modelled as a Turing Machine. For the time being, the Turing Machine formalism is unimportant: Intuitively, we will simply imagine our adversary as a computer running an adversarial computer program which we will denote  $\mathcal{A}$ . Similarly, we will imagine the honest parties as separate computers all running the same program, the honest program, which we will sometimes denote  $\Pi$ . The adversary and the honest parties are all directly or indirectly connected to each other in a common communication network. We will return to the formal model of computation and the network at a later time to make our arguments rigorous.

The critical part that will allow us to prove our security through computational arguments is that we will limit the power of the adversary: We will require that the adversary runs in *polynomial time* with respect to its input size. We will also allow

the adversary access to randomness. The same constraints are applied to the honest parties. We will denote such parties *PPT*, probabilistic polynomial-time, parties. Formally speaking, these are modelled as Turing Machines [8] with additional access to a random tape. In practice, when thinking about these machines, we simply think of them as regular computer programs (in, say, Python, C++ or JavaScript) in which we have access to a random number generator, which we assume produces fresh, uniform and completely fair randomness every time it is called.

Our security is analyzed with a *security parameter* in its foundations: The parameter  $\kappa$ . This parameter denotes what probability of failure we are willing to accept in our protocols: We can tolerate probabilities that are roughly  $2^{-\kappa}$ . For  $\kappa = 256$ , this probability is extremely small: It is extremely more probable that a global earth catastrophe is caused by an asteroid hitting it *during the second you read this particular sentence* than a probability  $2^{-256}$  occurring. Simply put, these events never occur.

However, we will keep the  $\kappa$  parameter free throughout our analysis, but we will demand that the probability of failure drops close to *exponentially*, or more precisely *superpolynomially* as  $\kappa$  increases linearly. Let us make this definition precise. If a function  $f(\kappa)$  denotes the probability of failure, we want  $f$  to be approximately on the order of  $\frac{1}{2^\kappa}$  or less. Any probability in the form of  $\frac{1}{\kappa^3 + \kappa + 9}$ , or any other inverse polynomial is unacceptable, as the probability does not drop fast enough with respect to  $\kappa$ . Certainly any *constant* probability such as 0.0001 is unacceptable. We want our function to be *eventually smaller than any inverse polynomial*. Such functions are called *negligible*.

**Definition 1** (Negligible function). *A function  $f(\kappa)$  is negligible if for any polynomial degree  $m \in \mathbb{N}$ , there exists a  $\kappa_0$  such that for all  $\kappa > \kappa_0$ :*

$$f(\kappa) < \frac{1}{\kappa^m}$$

Let us give some motivation about our choice of the class of *negligible* functions as our acceptable probability of failure. Suppose that a PPT adversary  $\mathcal{A}$  succeeds in breaking our protocol with some non-negligible probability  $p(\kappa)$ . This means that  $p(\kappa)$  is equal to some inverse polynomial in  $\kappa$ . But now consider a different adversary  $\mathcal{A}'$  that operates by running the adversary  $\mathcal{A}$  multiple times. In particular,  $\mathcal{A}'$  simulates the execution of  $\mathcal{A}$  as many as  $\frac{1}{p(\kappa)}$  times. If the success of  $\mathcal{A}$  is independent in all of these runs, this causes the probability of  $\mathcal{A}'$  to become quite close to 1. Additionally, the adversary  $\mathcal{A}'$  still runs in polynomial time, because it takes time proportional to the time needed to simulate  $\mathcal{A}$  (which is a polynomial due to  $\mathcal{A}$  being a PPT) and also proportional to  $\frac{1}{p(\kappa)}$  (which is a polynomial because  $p(\kappa)$  is non-negligible).

Therefore, any inverse polynomial probability of failure would be unacceptable. We choose to accept negligible functions exactly because the probability of failure cannot be amplified in this manner. If an adversary  $\mathcal{A}$  succeeds with negligible probability, an adversary  $\mathcal{A}'$  that simulates  $\mathcal{A}$  must run the simulation an *exponential* number of times in order to achieve anything beyond a negligible probability. Given that we have constrained our adversaries to be polynomial-time, this is impossible.

The negligible probability of failure is the standard treatment in modern cryptography [5]. Beyond the above argument pertaining to the polynomiality of adversaries, negligible functions are easy to work with because they observe certain *closure* properties. In particular, multiplying a negligible function with a polynomial yields

a negligible function. As constants are polynomials, scaling a negligible function by a constant yields a negligible function too. Of course, multiplying something negligible with something negligible keeps it negligible, and taking any power of a negligible function keeps it negligible.

$$\begin{aligned} \text{negl} \cdot \text{negl} &= \text{negl} \\ \text{const} \cdot \text{negl} &= \text{negl} \\ \text{poly} \cdot \text{negl} &= \text{negl} \\ \forall k \in \mathbb{N} : \text{negl}^k &= \text{negl} \end{aligned}$$

### 1.3 Game-Based Security

We will soon give detailed and rigorous definitions of what security properties we want our protocols to achieve. These will be our design goals. Once we have clearly articulated these goals, we will attempt to formally prove that our protocols attain the desired properties. Our security goals will be written out in the form of a *cryptographic game*. These games are algorithms that, given a particular PPT adversary, attest to whether the adversary has been successful in breaking the protocol.

You can imagine the game as a piece of code that evaluates the success of an adversary. The game will be specific to the protocol and property we wish to describe, and be given a relevant name. The game is also known as the *challenge*. To use one of the games, first, we decide which adversary we want to evaluate, and fix the source code that defines this adversary. We call this adversary  $\mathcal{A}$ , denoting a particular computer program. We are only interested in evaluating the performance of PPT adversaries against the game. We then run the game, which is a different computer program, and give it the source code of the adversary as a parameter. We also give the game access to run the honest protocol  $\Pi$ . The game will simulate some interaction between the adversary and the honest parties. The game executes the adversary and the honest parties and facilitates some data exchange between them. It then takes the output of the adversary and decides whether the adversary has been successful in their endeavour to break the protocol. The game outputs a boolean output: *true* if the adversary was successful in breaking the protocol, and *false* if the adversary was unsuccessful. It is bad for us, the designers of the protocol, if there exists some adversary such that the game outputs *true*. The execution of the game never occurs in real implementations of the protocol. It is simply a tool we use at the mathematical level to argue about the security of our design.

The adversary and honest party run in polynomial time in the security parameter  $\kappa$ . When we say that the adversary  $\mathcal{A}$  is *polynomial*, we mean that the adversary runs in polynomial time with respect to its input. More specifically, there exists a polynomial  $p(\kappa)$  such that, given any input of size  $\kappa$ , the adversary runs for at most  $p(\kappa)$  steps. If we want to give the adversary the option to run in polynomial time with respect to the parameter  $\kappa$ , we must issue the call to the adversary with an input of size  $\kappa$ . We denote this by writing  $\mathcal{A}(1^\kappa)$ , meaning that we call the adversary with an input of a string consisting of just the character 1 repeated  $\kappa$  times. Because  $|1^\kappa| = \kappa$ , the length of the input is  $\kappa$ , and the adversary can run in  $p(\kappa)$  time. Note that it would be inappropriate to call the adversary without

arguments as  $\mathcal{A}()$ , as in this case the adversary has no time to perform the attack. It would also be inappropriate to call the adversary using  $\mathcal{A}(\kappa)$ , as in this case the adversary would only have  $\log \kappa$  time available (since  $|\kappa| = \log \kappa$ ). We may have more information to pass to the adversary as input, such as a public key. If that information already has length  $\kappa$ , this is sufficient for our purposes, and we do not need to pass the adversary the extra argument  $1^\kappa$ . You can think of the argument  $1^\kappa$  as *giving the adversary enough time to operate*.

The format of a generic game is illustrated in Algorithm 1. The challenger is parameterized by the code of the honest party  $\Pi$  and the code of the adversary  $\mathcal{A}$ . It is invoked with the security parameter  $\kappa$  (note that there is no restriction that the challenger runs in polynomial time, as it is merely a mathematical tool). It invokes the honest party, giving him polynomial time in  $\kappa$  to run, as well as some additional arguments that will be defined by the particular protocol. It then runs the adversary, giving her<sup>1</sup> polynomial time in  $\kappa$  to run, as well as some additional arguments which may depend on the honest party's behavior. Depending on the game, the challenger may invoke the honest party and adversary multiple times, creating some interaction between them. Lastly, the challenger evaluates the output of the adversary to ascertain whether she has been successful in breaking the protocol, and outputs a boolean value: 0 indicating that the protocol remained unbroken, or 1 indicating that the adversary broke the protocol. The challenger is illustrated diagrammatically in Figure 1.1.




Figure 1.1: A game-based security definition shown diagrammatically. The challenger invokes both the honest party and the adversary before deciding whether the adversary was successful.

<sup>1</sup>As a convention, we will use the female pronouns for the adversary, the male pronouns for the honest parties, and the neutral pronoun for the challenger. This helps write succinct and easy to read sentences in which the “he” and “she” pronouns are used with clarity. As blockchain designers in which adversarial thinking is a central tenet, we will take both roles of the honest party and the adversary and argue from both sides when designing a protocol and reason about its security.



---

**Algorithm 1** The form of a challenger for a game-based security definition.

---

```
1: function MY-GAME $_{\Pi, \mathcal{A}}(\kappa)$ 
2:    $\triangleright$  Invoke the honest party with poly  $\kappa$  time and more arguments
3:    $\dots \Pi(1^\kappa \dots)$ 
4:    $\triangleright$  Invoke the adversary with poly  $\kappa$  time and more arguments
5:   result  $\leftarrow \mathcal{A}(1^\kappa \dots)$ 
6:    $\triangleright$  Evaluate whether the adversary has been successful
7:   if result indicates adversarial success then
8:     return true
9:   else
10:    return false
11:  end if
12: end function
```

---

As designers, the ideal goal for us would be to design a protocol for which *no adversary* succeeds in breaking the game, no matter what code she is running. If we can achieve this, it will be a truly magnificent achievement. Observe what we are trying to say here: The protocol works *no matter what the adversary decides to do*, as long as our assumptions are respected (such as the polynomiality bounds on the adversary). We are not merely enumerating a bunch of attacks that we considered ourselves and arguing that our protocol is secure against *these!* Instead, we are arguing against *all adversaries*, even adversaries that we do not know about and have not imagined. The ability to argue against *all* adversaries is the epitome of human intellect that modern cryptography has achieved, a feat only possible through the formalism and models of computer science. This proof style is recent and has only appeared within the last 50 years.

The ideal protocol  $\Pi$  satisfies security against all adversaries:

$$\forall PPTA : \text{Game}_{\Pi, \mathcal{A}}(\kappa) = 0$$

However, this is an unattainable goal. To see this, consider the case where the honest party generates a secret of length  $\kappa$  such as a private key or password. In that case the adversary can simply attempt to *guess* this private key at random. This will be possible with probability  $\frac{1}{2^\kappa}$ . As such, the above goal of requiring that the game *always* outputs 0 for all adversaries cannot be attained. Instead, we will require that any adversary only has negligible probability of succeeding in breaking these games. Remember that the probability of randomly finding the secret key is  $\frac{1}{2^\kappa}$  and this is a negligible value in  $\kappa$ .

A security definition will look like this:

**Definition 2** (Security). *A protocol  $\Pi$  is secure with respect to game  $\text{Game}$  if there exists a negligible function  $\text{negl}(\kappa)$  such that*

$$\forall PPTA : \Pr[\text{Game}_{\Pi, \mathcal{A}}(\kappa) = 1] \leq \text{negl}(\kappa)$$

We are using probability notation here because the execution of the challenger *with the same honest protocol  $\Pi$  and against the same adversary  $\mathcal{A}$  and using a fixed security parameter  $\kappa$*  will not always yield the same result! Since both the honest party and the adversary have access to generate randomness, the challenger will sometimes report 0, and other times report 1. For a fixed  $\Pi$  and  $\mathcal{A}$  and  $\kappa$ , there

is a certain probability that the challenger will report 0, and a certain probability that the challenger will report 1.

Fixing  $\Pi$  and  $\mathcal{A}$ , but leaving  $\kappa$  to take any value, we obtain different probabilities for each value of  $\kappa$ . Therefore, the value denoted by  $\Pr[\text{Game}_{\Pi, \mathcal{A}}(\kappa) = 0]$  for a fixed  $\Pi$  and  $\mathcal{A}$  is a function of  $\kappa$ . What we are saying here is that this function that counts the probability must be below some negligible function. Said differently, that probability must *eventually* (for sufficiently large  $\kappa$ ) become smaller than all inverse polynomials.

What happens if an adversary attempts to perform multiple guesses for the secret key? Each of these guesses has a probability of success amounting to  $\frac{1}{2^\kappa}$ . Since the adversary has polynomial time  $p(\kappa)$ , the number of guesses she can perform must be polynomial, too. What is the probability that *at least one of these guesses* is correct? We can apply a *union bound* [6] to find this.

**Theorem 1** (Union Bound). *Consider  $n$  events  $X_1, X_2, \dots, X_n$ . Then the probability that any one of them occurs is given by their union bound:*

$$\Pr[X_1 \vee X_2 \vee \dots \vee X_n] \leq \Pr[X_1] + \Pr[X_2] + \dots + \Pr[X_n]$$

Note that this is just an upper bound and these probabilities may not be exactly equal. To see why, consider the simple example of rolling a die 6 times, hoping to get a 6. For any one roll, the probability of getting a 6 is  $\frac{1}{6}$ , and the union bound tells us that the probability of getting a 6 in *any roll* across our whole game of 6 rolls is at most 1. However, the actual probability is in fact a little less:  $1 - (1 - \frac{1}{6})^6 = 0.665$ . Here, we calculated the probability of *not* winning in a single roll, which is  $1 - \frac{1}{6}$ . We then calculated the probability of failing to win in any single roll, which is  $(1 - \frac{1}{6})^6$ . Lastly, we took the complement of this probability, interpreting this to mean that we won in at least a single roll, obtaining  $1 - (1 - \frac{1}{6})^6$ . We will use this style of arguments a lot when counting probabilities about blocks and chains.

Returning to our polynomial adversary, and applying a union bound, we see that this adversary can succeed with probability at most  $\frac{p(\kappa)}{2^\kappa}$ , which remains negligible, because  $\text{poly} \cdot \text{negl} = \text{negl}$ . This reinforces our reason for adopting the class of negligible functions as our acceptable probability of failure.

Note here how great the requirements of security that cryptography mandates are: In a *secure* protocol, the honest party can act within polynomial time, but an adversary needs superpolynomial time to break it. The successful honest party is efficient and lives within the complexity class P, but the successful adversary is inefficient, and lives within the complexity class NP but not in P. This is illustrated in Figure 1.2. This is a much bolder claim that the security of traditional money! In a traditional banknote monetary system, the honest party (such as the government) has many more resources than the adversary (say, a forgery criminal). If the adversary acquires resources equivalent to the honest party (for example access to the same banknote-printing machines), the system's security will be compromised. Here, we are achieving something significantly stronger: An honest party needs only polynomial time to successfully participate in the protocol, but a successful adversary will require superpolynomial time to successfully break it — a huge discrepancy.

When the time comes to prove a protocol secure, we will sometimes make an assumption that an existing, underlying protocol is secure. Our new protocol will be built *on top of* the existing protocol. In the blockchain world, we will take




Figure 1.2: In a secure protocol, a successful honest party needs polynomial time, while a successful adversary needs superpolynomial time.

many underlying primitives for granted: We will make use of *hash functions* and *signatures* assuming they are secure, and leave their design to the cryptographers. Our theorems will state that *if* the underlying protocol is secure, *then* the protocol we are building on top of the existing primitive is also secure. Said differently, if no PPT adversary wins in the underlying protocol except with negligible probability, then also no PPT adversary can win in our new protocol, except with negligible probability.

The proofs of these theorems will take the form of a *computational reduction*, and they will look roughly as follows, when we are designing a new protocol  $\Pi^*$ :

**Claim.** If protocol  $\Pi^*$  is secure, then protocol  $\Pi$ , built on top of  $\Pi^*$ , is also secure.

**Proof.** Suppose, towards a contradiction, that protocol  $\Pi$  is *insecure*. Then, by the game-based security definition, there must exist a PPT adversary  $\mathcal{A}$  that breaks  $\Pi$  with non-negligible probability (but we don't know the exact inner workings of this adversary, because she is arbitrary). We design a PPT adversary  $\mathcal{A}^*$ , for which we write the code and know her inner workings *exactly*. Somewhere in the code of  $\mathcal{A}^*$  we make use of the code of  $\mathcal{A}$  as a black box. The adversary  $\mathcal{A}^*$  attempts to break the protocol  $\Pi^*$  within the confines of the challenger for the protocol  $\Pi^*$  (a particular game). The adversary  $\mathcal{A}$  attempts to break the protocol  $\Pi$  within the confines of the challenger for the protocol  $\Pi$  (a different game). When  $\mathcal{A}^*$  runs, she *simulates* the execution of  $\mathcal{A}$  by invoking her code, as illustrated in Figure 1.3. When  $\mathcal{A}^*$  invokes  $\mathcal{A}$ , she must do so behaving *as if she were* the challenger for protocol  $\Pi$ . The adversary  $\mathcal{A}^*$  can invoke  $\mathcal{A}$  multiple times with different inputs and collect her outputs before producing an output of her own. Because  $\mathcal{A}$  runs in polynomial time, and because  $\mathcal{A}^*$  only performs a polynomial number of operations beyond invoking  $\mathcal{A}$  a polynomial number of times, therefore  $\mathcal{A}^*$  is also a PPT. We can now evaluate the probability of success of  $\mathcal{A}^*$  and relate it to the probability of success of  $\mathcal{A}$ , arguing that *if* the probability of success of  $\mathcal{A}$  is non-negligible, then so is the probability of success of  $\mathcal{A}^*$ . However, this contradicts the assumption that  $\Pi^*$  was secure, completing the proof.

This proof style is by contradiction. We can write the same proof in a *forward direction* without resorting to a contradiction. This gives a shorter proof, and we will prefer this style in our writing, following the example of Katz and Lindell [5].




Figure 1.3: A computational reduction between two adversaries. Given an adversary  $\mathcal{A}$  against protocol  $\Pi$ , we construct an adversary  $\mathcal{A}^*$  against a protocol  $\Pi^*$ .

These proofs look like this:

**Proof.** Consider an arbitrary PPT adversary  $\mathcal{A}$  attempting to break the protocol  $\Pi$ . We construct an adversary  $\mathcal{A}^*$  against the protocol  $\Pi^*$  by making use of  $\mathcal{A}$  as before. For the same reasons as before,  $\mathcal{A}^*$  is also PPT, and their probabilities of success are related. By the security assumption on  $\Pi^*$ , we know that the probability of success of  $\mathcal{A}^*$  against its challenger is negligible. From the relationship between the probabilities of success of  $\mathcal{A}$  and  $\mathcal{A}^*$ , we also deduce that the probability of success of  $\mathcal{A}$  is negligible, completing the proof.

The two proofs are identical, with the exception that the second one is a little more straightforward. Of course, these are rough proof outlines provided to give a sketch of what to expect next, but are still quite abstract. You will become acquainted with the particular workings of this style of proof as we work through particular theorems, particular protocols, and particular games in the next chapters.

## 1.4 The Network

In our quest to decentralize money, our participants will be nodes on a computer network. These nodes will each run their software and communicate with one another. Each of them is connected to some of their *peers* as illustrated in Figure 1.4. Contrary to more traditional Internet systems where there is a designated role of a *client* and a *server*, here all peers play the same role: They function both as clients and as servers of requests.

In this network, not everyone is connected to everyone else, but messages can reach from one side of the network to the other by travelling through intermediaries. This is achieved through the *gossiping* protocol: When a node receives a message it hasn't seen before, it forwards it to its peers. That way, everyone eventually learns about the message. In order to avoid denial-of-service attacks, messages may be validated in a basic manner before they are gossiped. For example, syntactically invalid messages will not be gossiped.

We will make a central assumption about the network: That there exists a path between any two honest parties on the network, which consists of only honest nodes. Said differently, the network is not split into components whose connection is controlled by the adversary.

**Definition 3** (Non-eclipsing). *The non-eclipsing assumption states that, between every two honest parties on the network, there exists a path consisting only of honest*




Figure 1.4: The peer-to-peer network. Nodes are shown as circles and connections as lines. The honest nodes are shown in blue, while the adversarial nodes are shown in black.

*nodes.*

Note that, for the non-eclipsing assumption to hold, it is *not* sufficient that every honest party has a connection to an honest party. There might be components of honest parties that remain isolated from the rest of the network, as illustrated in Figure 1.5.




Figure 1.5: An eclipsed peer-to-peer network. Even though every honest party has an honest connection, the network is partitioned into two disconnected components by the adversary.

We are introducing this assumption out of necessity. We cannot hope to build any currency in an eclipsed world. To see why, imagine two completely isolated civilizations, both maintaining their own separate currency. These civilizations, given a lack of communication between them, cannot hope to be able to deduce who owns how much money in their respective counterpart world.

Following our pattern of a powerful adversary, we give the adversary the ability to create as many identities on the network as she desires. This is termed a *Sybil attack* [1]. The adversary may overwhelm an honest party with adversarial connections as illustrated in Figure 1.6.




Figure 1.6: A Sybil attacked peer-to-peer network. The non-eclipsing assumption is not violated.

**Definition 4** (Sybil Attack). *In a Sybil attackable network model, the adversary may create as many identities (nodes) as she desires. The honest parties cannot distinguish which identities have been created by the adversary in this manner.*

It is possible that the adversary controls all the connections of an honest party, except for one connection to an honest party, which is necessary to maintain the non-eclipsing assumption. *Every honest party will certainly be connected to at least one other honest party.*

Ensuring that the non-eclipsing assumption is maintained is a practical engineering problem and there are many heuristics employed in achieving this. The process of connecting to other nodes, attempting to ensure at least one honest connection, is termed *peer discovery*.

Let us briefly discuss how peer discovery is performed in practical peer-to-peer networks. When a peer-to-peer node is first booted, it must connect to some of its peers for the first time. This is the *network bootstrapping* phase. At this phase, the node typically will attempt to connect to a list of hard-coded peers whose IP addresses appear in the implementation source code. Some of these connections may fail, but if one of them succeeds and connects to an honest party, the newly booted node can begin to operate. After bootstrapping, whenever the newly booted node connects to a peer, it asks the connected peer to tell it about the addresses of *its own peers*. These peers are then recorded and can be used for further connections. They can also be reported to other peers asking for peer discovery. The policy for reporting discovered peers may vary. For example, some nodes may not share all of their known peers. In case the bootstrapping phase fails, the user is given the option to manually connect to a peer by entering its address. This allows the software to survive cases of censorship, or of broad compromise of all the hard-coded peer addresses.

## Chapter 2

# The Application Layer: UTXO

- Goal: Transparency / verifiability (everyone knows that the money they claim they have, they \*actually\* have)
- What is money? How do we know today who owns what? Did we track it through history? Do we have that history? No – we trust our social environment. A kind of "honest majority" setting.
- The adversary
  - Problems hard in the average case VS problems hard in the worst case
- Commitment schemes
- The binding and hiding games
- Hashes
- The collision resistance and pre-image resistance games
- Public and private keys
- Signatures, signing, verifying, correctness, security
- The existential unforgeability game
- A transaction
- Addresses
- One input and one output
- Amounts
- Inputs and outputs in UTXO
- Splitting money
- Merging money

- Conservation Law
- Change
- Outpoints – the transaction graph
- The transaction ledger / transaction serialization
- UTXO as application state
- The evolution of the UTXO
- What money do I own? Calculating balances
- Double spending
- Reading: Chapter 5 introduction and section 5.1 from Modern Cryptography (2nd ed.)
- Reading: Chapter 12 introduction (skip comparison to MACs and relation to encryption) and sections 12.1, 12.2, 12.3 from Modern Cryptography (2nd ed.)
- Exercises 2 and 3



## Chapter 3

# Blocks and Chains

- The decentralized setting; the network
- Adversarial and honest nodes, corruption, sybil attacks
- Network delays, message delivery
- Broadcasting transactions to everyone - be your own bank
- Money arising out of social consensus
- The double spending attack
- Simple ideas don't work: Serializing transactions naively, the critical time  $\Delta$
- Proof-of-work as a consensus mechanism without blocks
- The honest computational majority assumption
- The proof-of-work equation; the parameters  $T$  and
- The block
- The chain
- The longest chain rule
- The mempool
- Temporary forks / reorgs
- Coming to an agreement: Blockchain convergence
- The genesis block; the arrow of time
- Verifying chains
- The Chain Growth, Common Prefix, and Chain Quality, intuitively
- Transaction confirmation rules; the Common Prefix parameter  $k$
- The minority double spending attack and its inevitable failure; negligibility in  $k$
- Maintaining the UTXO under reorgs

## Chapter 4

# Blockchain Economics

- The weak conservation law
- Fees
- The coinbase transaction, the inductive base of the UTXO graph
- The money supply
- Supply adjustment in Bitcoin - halving
- The limited total money supply of Bitcoin
- Supply adjustment in Monero - smooth emission
- Empty blocks
- Rational miners, miner incentivisation
- The block size limit
- Collecting transactions into blocks, the knapsack algorithm
- A look at Bitcoin's blockchain explorer blocks and transactions

## Chapter 5

# Blockchain Attacks

- Probability of obtaining a block; the value  $p$
- Attacks of a majority miner
  - Censoring transactions
  - Double spending
  - The impossibility of spending others' money
  - The impossibility of breaking chain growth
- Healing from temporary dishonest majority
  - Healing from censorship
  - Temporarily rejecting payments: resilience to double spending attacks
- The expected block generation time  $\frac{1}{f}$
- Balancing the values  $T$  and  $k$ 
  - Loss of security due to small  $k$  and small  $T$ : variance attacks
  - Loss of security due to large  $k$  and large  $T$ : fan-out attacks
- Attacks of a minority miner
  - The Selfish Mining attack
  - Selfish Mining simulation and bounds for  $1/3$  and  $1/2$  adversaries

## Chapter 6

# Mining

- Mining hardware: CPUs, GPUs, ASICs
- GetWork / the mining template
- The cost of mining: Empty blocks, optimistic mining
- Mining pools
- The pooled mining protocol
  - Why pools? The variance problem
  - Decreasing variance while keeping expectation the same
  - Centralized pools and pool operators
  - Light blocks (shares) and the light PoW equation

# Chapter 7

## Wallets

- Online and offline wallets
- Wallet seeds
- Hardware wallets, brain wallets
- Hierarchical Deterministic wallets
- Wallets maintaining own UTXOs
- Collecting UTXOs to create a new transaction

## Chapter 8

# The Application Layer: Accounts

- Maintaining your own UTXOs for spending
- Optimizing for fees: Wallet UTXO selection policy
- p2pk / p2pkh and quantum security
- Hashing a public key
- The transaction as a state machine transition
- The UTXO as a state machine with transaction transitions
- Account states: Balances
- A transaction in accounts
- Replayability and nonces
- The account balances as a state machine with transaction transitions
- Practical transactions in Bitcoin and Ethereum
- Look at the Bitcoin and Ethereum transaction graph
- Motivation: Payment conditions and covenants
- Smart contracts in the UTXO model
- Bitcoin scripts

## Chapter 9

# Light Clients

- The Random Oracle model
- Random Oracles are collision resistant
- Random Oracle collision resistance security proof
- Random Oracles are pre-image resistant
- Random Oracle pre-image resistance security proof
- Block predictions are difficult in the Random Oracle model
- Authenticated data structures
- Merkle trees
- Building a complete Merkle tree from data
- Building a Merkle tree proof
- Validating a Merkle tree proof
- Merkle trees in the torrent protocol
- Merkle tree game-based security definition
- Merkle tree security theorem and proof
- The SPV protocol
- Light clients
- Sparse Merkle trees, Merkle-Patricia tries: Polynomial data in an exponential sea
- Light mining using block state commitments
- State commitment in block headers

# Chapter 10

## Consensus

- The backbone model in the static difficulty setting
- Interactive Turing machines
- The environment
- Synchronous time: The integer round
- The theoretical network model
- The rushing adversary
- The Sybil adversary
- The parties: The parameters  $n, t$
- The honest majority assumption: The parameter  $\delta$
- Mining modeled as a Random Oracle: The parameter  $q$
- The backbone protocol
- Validating blocks
- The longest chain rule
- Mining
- The Chain Growth property: The parameters  $s$  and  $\tau$
- The Common Prefix property: The parameter  $k$
- The Chain Quality property: The parameters  $\ell$  and  $\mu$
- Ledger liveness: The parameter  $u$
- Ledger safety
- Proof of liveness from Chain Growth and Chain Quality
- Calculation of the liveness parameter  $u$



- Proof of safety from Common Prefix
- Successful rounds and uniquely successful rounds
- The probabilistic treatment using the random variables  $X$ ,  $Y$ , and  $Z$
- Probabilities of success and failure
- Chernoff bound intuition
- Chernoff bound theorem for binomial distributions: The parameter  $\epsilon$
- Convergence opportunities
- Uniquely successful rounds avoid fan-out attacks unless matched by adversarial mining power
- The equal computational split model
- The world is a good place: Typical executions
- The distance between  $X$  and  $Y$ : The block production parameter  $f$
- The distance between  $Y$  and  $Z$ : The Chernoff error parameter  $\epsilon$
- The Chernoff waiting time  $\lambda$
- The balancing equation  $3\epsilon + 3f < \delta$
- Calculating the relationship between adversarial power  $(n, t)$ , network diameter, and block production rate
- The Typicality Theorem
- The Chain Growth Lemma
- A proof of the Chain Growth property, calculation of the parameters  $s = \lambda$  and  $\tau = (1 - \epsilon)f$
- The Chain Slowness Lemma
- The Pairing Lemma
- A proof of the Common Prefix property

# Chapter 11

## Smart Contracts

- Smart contracts in the accounts model
- Turing completeness, quasi turing completeness
- Gas, gas price, starting gas
- Contract and personal accounts
- Value transfers between personal accounts
- The smart contract transaction format
- Transaction initiation
- Message passing between contracts
- Smart contract state as a state machine
- Nested Merkle tries
- Receipts
- The Ethereum Virtual Machine
- Contracts, methods
- The ABI
- Contract execution must be deterministic and isolated
- An attack against Common Prefix in a minority-adversary non-deterministic contract world
- Oracles
- A flight insurance contract
- Validating an HTTPS response from a contract

# Bibliography

- [1] John R Douceur. The sybil attack. In *International Workshop on Peer-to-Peer Systems*, pages 251–260. Springer, 2002.
- [2] David Graeber. *Debt: The First 5,000 Years*. Melville House, 2014.
- [3] Geoffrey Ingham. Money is a social relation. In Steve Fleetwood, editor, *Critical realism in economics: Development and debate*, pages 104–105. Routledge, 1998.
- [4] William Stanley Jevons. *Money and the Mechanism of Exchange*. H.S. King & Co., 1875.
- [5] Yehuda Lindell and Jonathan Katz. *Introduction to Modern Cryptography*. Chapman and Hall/CRC, 2014.
- [6] Sheldon M Ross. *A First Course in Probability*. Pearson Boston, MA, 10 edition, 2019.
- [7] Georg Simmel. *The Philosophy of Money*. 1900.
- [8] Alan Mathison Turing. On computable numbers, with an application to the entscheidungsproblem. *J. of Math*, 58(345-363):5, 1936.